



Eastside Drill Hole Assay Summary Log, 2016 Drilling

2016

2016-04-28

ES-88

(Rotary Drilling to 600', Core Thereafter)

Gold

70-95', 25' (21.3-29m, 7.6m) @ 0.16 g/t Au

120-125', 5' (36.6-38.1m, 1.5m) @ 0.3 g/t Au

190-195', 5' (60-59.4m, 1.5m) @ 0.13 g/t Au

205-210', 5' (62.5-64m, 1.5m) @ 0.18 g/t Au

305-330', 25' (93-100.6m, 7.6m) @ 0.15 g/t Au

365-375', 10' (111.3-114.3m, 3.1m) @ 0.19 g/t Au

415-420', 5' (126.5-128m, 1.5m) @ 0.12 g/t Au

450-455', 5' (137.2-138.7m, 1.5m) @ 0.27 g/t Au

465-470', 5' (141.7-143.3m, 1.5m) @ 0.34 g/t Au

530-550', 20' (161.5-167.6m, 6.1m) @ 0.31 g/t Au

570-585', 15' (173.7-178.3m, 4.6m) @ 0.34 g/t Au

610-620', 10' (186-189.1m, 3.1m) @ 0.38 g/t Au

632-637', 5' (192.8-194.3m, 1.5m) @ 0.23 g/t Au

677.5-687', 9.5' (206.6-209.5m, 2.9m) @ 1.73 g/t Au

727-732', 5' (221.7-223.3m, 1.5m) @ 1.04 g/t Au

745-751.5', 6.5' (227.2-229.2, 2m) @ 0.52 g/t Au

892-909.5', 17.5' (272.1-227.4m, 5.3m) @ 0.35 g/t Au

958-978', 20' (292.2-298.3m, 6.1m) @ 0.14 g/t Au

998-1007', 9' (304.4-307.1m, 2.8m) @ 0.17 g/t Au

Eastside Drill Hole Assay Summary Log, 2016 Drilling

Gold, ES-88 Continued

1045-1052', 7' (318.5-320.9m, 2.1m) @ 0.2 g/t Au

1077-1095', 18' (328.5-334m, 5.5m) @ 0.35 g/t Au

1142-1147', 5' (348.3-349.8m, 3.1m) @ 0.14 g/t Au

1365-1368', 3' (416.3-417.2m, 0.9m) @ 0.62 g/t Au

Silver

75-80', 5' (22.9-24.4m, 1.5m) @ 8.9 g/t Ag

230-235', 5' (70.1-71.6m, 1.5m) @ 8.0 g/t Ag

320-325', 5' (97.5-99.1m, 1.5m) @ 9.3 g/t Ag

525-530', 5' (160-161.5m, 1.5m) @ 8.4 g/t Ag

580-585', 5' (176.8-178.3m, 1.5m) @ 14.9 g/t Ag

1365-1368', 3' (416.3-417.2m, 0.9m) @ 36.3 g/t Ag

1530-1535', 5' (466.7-468.2m, 1.5m) @ 7.0 g/t Ag

ES-89

(Rotary Drilling to 600 feet, Core Thereafter)

Gold

145-160', 15' (44.2-48.8m, 4.6m) @ 0.18 g/t Au

435-445', 10' (132.6-135.6m, 3.1m) @ 0.11 g/t Au

460-465', 5' (140.2-141.7m, 1.5m) @ 0.13 g/t Au

510-624', 114' (155.5-190.3m, 34.8m) @ 0.25 g/t Au

Eastside Drill Hole Assay Summary Log, 2016 Drilling

Gold, ES-89 Continued

646.5-775', 128.5' (195.9-236.4m, 39.2m) @ 0.69 g/t Au

Includes:

- 687-692.5', 5.5' (209.5-211.2m, 1.7m) @ 2.75 g/t Au

- 752-775', 23' (229.4-236.4m, 7m) @ 1.55 g/t Au

865-875', 10' (263.7-266.7m, 3.1m) @ 0.29 g/t Au

887-907', 20' (270.5-276.6m, 6.1m) @ 0.15 g/t Au

971-1018', 47' (296.2-310.5m, 14.3m) @ 0.75 g/t Au

Includes:

- 991-1000', 9' (302.3-305m, 2.8m) @ 2.5 g/t Au

1032-1036', 4' (314.8-316m, 1.2m) @ 0.26 g/t Au

1051-1055', 4' (320.6-321.8m, 1.2m) @ 0.14 g/t Au

1245-1275', 30' (379.5-388.9m, 9.1m) @ 0.31 g/t Au

1318-1321', 3' (402-402.9m, 0.9m) @ 0.12 g/t Au

1344-1350', 6' (409.9-411.8m, 1.8m) @ 0.14 g/t Au

1403-1407', 4' (427.9-429.1m, 1.2m) @ 0.31 g/t Au

Silver

646.5-648', 1.5' (197.2-197.6m, 0.5m) @ 12.53 g/t Ag

657-660', 3' (200.4-201.3m, 0.9m) @ 14.27 g/t Ag

684-708', 24' (208.6-215.9m, 7.3m) @ 18.17 g/t Ag

Includes:

- 687-691.5', 4.5' (209.5-210.9m, 1.4m) @ 32.5 g/t Ag

747.5-749.5', 2' (228-228.6m, 0.6m) @ 8.92 g/t Ag

758-762', 4' (231.2-232.4m, 1.2m) @ 7.01 g/t Ag

Eastside Drill Hole Assay Summary Log, 2016 Drilling

Silver, ES-89 Continued

961.5-1005', 43.5' (293.3-306.5m, 13.3m) @ 9.38 g/t Ag

Includes:

- 968-974', 6' (295.4-297.1m, 1.8m) @ 16.36 g/t Ag
- 991-1000', 9' (302.3-305m, 2.8m) @ 13.8 g/t Ag

1250-1255', 5' (381-382.8m, 1.5m) @ 7.31 g/t Ag

1403-1407', 4' (427.9-429.1m, 1.2m) @ 14.53 g/t Ag

ES-90

(Rotary Drilling to 600 feet, Core Thereafter)

Gold

75-80', 5' (22.9-24.4m, 1.5m) @ 0.2 g/t Au

250-270', 20' (76.2-82.3m, 6.1m) @ 0.19 g/t Au

345-425', 80' (105.2-129.5m, 24.4m) @ 0.35 g/t Au

460-465', 5' (140.2-141.7m, 1.5m) @ 0.12 g/t Au

609-653', 44' (185.8-199.2m, 13.4m) @ 4.06 g/t Au

Includes:

- 623-627.5', 4.5' (190-191.4m, 1.38m) @ 34.9 g/t Au

705-715', 10' (214.9-217.9m, 3.1m) @ 0.24 g/t Au

780-815', 35' (237.7-248.4m, 10.7m) @ 0.75 g/t Au

Includes:

- 805.5-815', 9.5' (245.7-248.4m, 2.9m) @ 1.97 g/t Au

835-840', 5' (254.5-256m, 1.5m) @ 1.6 g/t Au

Eastside Drill Hole Assay Summary Log, 2016 Drilling

Gold, ES-90 Continued

870-880', 10' (265.2-268.2m, 3.1m) @ 5.0 g/t Au

1085-1090', 5' (330.7-332.2m, 1.5m) @ 0.18 g/t Au

Silver

355-360', 5' (108.2-109.7m, 1.5m) @ 7.9 g/t Ag

375-380', 5' (114.3-115.9m, 1.5m) @ 7.0 g/t Ag

395-410', 15' (120.4-125m, 4.6m) @ 17.6 g/t Ag

615-660', 45' (187.5-201.2m, 13.7m) @ 57.04 g/t Ag

Includes:

- 623-627.5', 4.5' (190-191.4m, 1.4m) @ 213 g/t Ag

790-795', 5' (240.8-242.3m, 1.5m) @ 9.25 g/t Ag

805.5-810', 4.5' (245.7-246.9m, 1.4m) @ 9.1 g/t Ag

875-880', 5' (266.7-268.2m, 1.5m) @ 20.69 g/t Ag

ES-91

Gold

290-335', 45' (88.4-102.1m, 13.7m) @ 0.13 g/t Au

370-375', 5' (112.8-114.3m, 1.5m) @ 0.14 g/t Au

425-490', 65' (129.5-148.5m, 19.7m) @ 1.74 g/t Au

Includes:

- 445-450', 5' (135.6-137.3m, 1.5m) @ 17.9 g/t Au

575-600', 25' (175.3-182.9m, 7.6m) @ 0.13 g/t Au

Eastside Drill Hole Assay Summary Log, 2016 Drilling

Silver, ES-91 Continued

420-455', 35' (128-138.7m, 10.7m) @ 42.4 g/t Ag

Includes:

- 440-450', 10' (134.1-137.2m, 3.1m) @ 107.0 g/t Ag

465-470', 5' (141.7-143.3m, 1.5m) @ 10.5 g/t Ag

ES-92

Hole Lost in Target Zone at 1105'

Gold

20-70', 50' (6.1-21.3m, 15.2m) @ 0.36 g/t Au

Includes:

- 25-35', 10' (7.6-10.7m, 3.1m) @ 0.95 g/t Au

125-190', 65' (38.1-57.9m, 19.8m) @ 0.18 g/t Au

235-240', 5' (71.6-73.2m, 1.5m) @ 0.2 g/t Au

265-295', 30' (80.8-89.9m, 9.1m) @ 0.3 g/t Au

350-355', 5' (106.7-108.2m, 1.5m) @ 0.13 g/t Au

370-375', 5' (112.8-114.3m, 1.5m) @ 0.12 g/t Au

460-470', 10' (140.2-143.3m, 3.1m) @ 0.16 g/t Au

510-545', 35' (155.4-166.1m, 10.7m) @ 0.21 g/t Au

570-590', 20' (173.7-179.8m, 6.1m) @ 0.19 g/t Au

605-685', 80' (184.4-208.9m, 24.4m) @ 0.35 g/t Au

Includes:

- 655-670', 15' (199.7-204.2m, 4.6m) @ 1.04 g/t Au

745-765', 20' (227-233.2m, 6.1m) @ 0.54 g/t Au

870-880', 10' (265.2-268.2m, 3.1m) @ 0.17 g/t Au

Eastside Drill Hole Assay Summary Log, 2016 Drilling

Gold, ES-92 Continued

1070-1105', 35' (326.1-336.8m, 10.7m) @ 0.46 g/t Au

Includes:

- 1080-1085', 5' (329.8-330.7m, 1.5m) @ 1.22 g/t Au

Silver

170-175', 5' (51.8-53.3m, 1.5m) @ 7.6 g/t Ag

605-685', 80' (184.4-208.8m, 24.4m) @ 24.7 g/t Ag

Includes:

- 640-645', 5' (195-196.6m, 1.5m) @ 42.1 g/t Ag
 - 655-670', 15' (199.6-205.7m, 4.6m) @ 51.0 g/t Ag
- 745-760', 15' (227-231.6m, 4.6m) @ 18.7 g/t Ag

Includes:

- 750-755', 5' (228.6-230.1m, 1.5m) @ 31.5 g/t Ag

Hole Bottomed in Values

RC-93

Gold

165-185', 20' (50.3-56.4m, 6.1m) @ 0.16 g/t Au

200-210', 10' (61-64m, 3.1m) @ 0.15 g/t Au

225-245', 20' (68.6-74.8m, 6.1m) @ 0.14 g/t Au

410-415', 5' (125-126.5m, 1.5m) @ 0.12 g/t Au

555-560', 5' (169.2-170.7m, 1.5m) @ 0.13 g/t Au

615-620', 5' (187.5-189m, 1.5m) @ 0.16 g/t Au

735-770', 35' (224-234.7m, 10.7m) @ 0.16 g/t Au

825-840', 15' (251.5-256m, 4.6m) @ 0.34 g/t Au

Eastside Drill Hole Assay Summary Log, 2016 Drilling

Silver, ES-93 Continued

610-615', 5' (186-187.5m, 1.5m) @ 7.75 g/t Ag

735-775', 40' (224-236.2m, 12.2m) @ 28.04 g/t Ag

Includes:

- 755-765', 10' (230.1-233.2m, 3.1m) @ 59.6 g/t Ag
- 825-830', 5' (251.5-253m, 1.5m) @ 8.14 g/t Ag

ES-94

(Rotary to 600 ft. Core Thereafter)

Gold

180-195', 15' (54.9-59.4m, 4.6m) @ 0.12 g/t Au

270-275', 5' (82.3-83.8m, 1.5m) @ 0.29 g/t Au

400-410', 10' (212.9-125m, 3.1m) @ 0.18 g/t Au

525-720', 195' (160-219.6m, 59.5m) @ 0.47 g/t Au

Includes:

- 565-570', 5' (172.2-173.7m, 1.5m) @ 3.27 g/t Au
- 602-606', 4' (183.6-184.8m, 1.2m) @ 1.81 g/t Au

750-755', 5' (228.8-230.3m, 1.5m) @ 0.12 g/t Au

836-880', 44' (254.9-268.4m, 13.4m) @ 0.36 g/t Au

995-1039', 44' (303.5-316.9m, 13.4m) @ 0.66 g/t Au

1218-1223', 5' (371.5-373m, 3.1m) @ 0.36 g/t Au

1391-1396', 5' (424.3-425.8m, 3.1m) @ 0.23 g/t Au

Silver

550-575', 25' (167.6-175.3m, 7.6m) @ 11.7 g/t Ag

602-606', 4' (183.6-184.8m, 1.2m) @ 17.4 g/t Ag

Eastside Drill Hole Assay Summary Log, 2016 Drilling

Silver, ES-94 Continued

618-622.5', 4.5' (188.5-189.9m, 1.4m) @ 13.6 g/t Ag
629-640', 11' (191.8-195.2m, 3.4m) @ 9.7 g/t Ag
660-664', 4' (201.3-202.5m, 1.2m) @ 7.22 g/t Ag
681-695', 14' (207.7-211.9m, 4.3m) @ 21.0 g/t Ag
707-710', 3' (215.6-216.6m, 0.9m) @ 120.0 g/t Ag
836-851', 15' (254.9-259.6m, 4.6m) @ 14.1 g/t Ag
1003-1007', 4' (305.9-307.1m, 1.2m) @ 12.9 g/t Ag

ES-95

Hole was all Core Drilling to 770', where lost prior to intercepting target

Gold

69-102', 33' (21-31.1m, 10.1m) @ 0.17 g/t Au
126-129', 3' (38.4-39.3m, 0.9m) @ 0.15 g/t Au
159-162', 3' (48.5-49.4m, 0.9m) @ 0.14 g/t Au
173-174', 1' (52.8-53.1m, 0.31m) @ 0.24 g/t Au
183-216', 33' (55.8-65.9m, 10.1m) @ 0.14 g/t Au
225-237', 12' (68.6-72.3m, 3.7m) @ 0.18 g/t
246-252', 6' (75-76.9m, 1.8m) @ 0.26 g/t Au
267-270', 3' (81.4-82.4m, 0.9m) @ 0.24 g/t Au
276-279', 3' (276.3-85.1m, 0.9m) @ 0.19 g/t Au
285-315', 30' (86.9-96.1m, 9.2m) @ 0.34 g/t Au
325-335', 10' (99.1-102.1m, 3.1m) @ 0.87 g/t Au

Includes:

- 325-330', 5' (99.1-100.6m, 1.5m) @ 1.46 g/t Au

Eastside Drill Hole Assay Summary Log, 2016 Drilling

Gold, ES-95 Continued

490-492', 2' (149.5-150.1m, 0.6m) @ 0.38 g/t Au

565-570', 5' (172.2-173.7m, 1.5m) @ 0.59 g/t Au

Silver

400-405', 5' (121.9-123.4m, 1.5m) @ 6.9 g/t Ag

ES-96

Gold

345-350', 5' (105.2-106.7m, 1.5m) @ 0.15 g/t Au

440-470', 30' (134.1-143.3m, 9.1m) @ 0.32 g/t Au

630-635', 5' (192-193.5m, 1.5m) @ 0.13 g/t Au

655-770', 115' (199.7-234.7m, 35.1m) @ 4.1 g/t Au

Includes:

- 660-725', 65' (201.2-221m, 19.8m) @ 6.9 g/t Au

785-820, 35' (239.3-249.9m, 10.7m) @ 0.35 g/t Au

Includes:

- 800-805', 5' (243.8-245.4m, 1.5m) @ 1.1 g/t Au

875-885', 10' (266.7-269.8m, 3.1m) @ 0.31 g/t Au

990-995', 5' (301.8-303.3m, 1.5m) @ 0.15 g/t Au

Silver

450-455', 5' (137.2-138.7m, 1.5m) @ 8.38 g/t Ag

660-730', 70' (201.2-222.5m, 27.4m) @ 97.3 g/t Ag

Includes:

- 665-690', 25' (202.7-210.3m, 7.6m) @ 155.8 g/t Ag
- 700-725', 25' (213.4-221m, 7.6m) @ 154.8 g/t Ag

Eastside Drill Hole Assay Summary Log, 2016 Drilling

Silver, ES-96 Continued

745-760', 15' (227.1-231.7m, 4.1m) @ 16.8 g/t Ag

ES-97

Gold

15-20', 5' (4.6-6.1m, 1.5m) @ 0.15 g/t Au

595-615', 20' (181.4-187.5m, 6.1m) @ 0.26 g/t Au

650-655', 5' (198.1-199.7m, 1.5m) @ 0.12 g/t Au

745-785', 40' (227.1-239.3m, 12.2m) @ 0.21 g/t Au

855-920', 65' (260.1-280.5m, 19.8m) @ 0.38 g/t Au

Silver

710-720', 10' (216.4-219.5m, 3.1m) @ 8.77 g/t Ag

745-775', 30' (227.1-236.2m, 9.1m) @ 11.72 g/t Ag

Includes:

- 745-755', 10' (227.1-230.1m, 3.1m) @ 21.4 g/t Ag

855-915', 60' (260.6-278.8m, 18.3m) @ 11.16 g/t Ag

Includes:

- 870-880', 10' (265.2-268.2m, 3.1m) @ 25.1 g/t Ag